

#WWDC19

# What's New in Apple Filesystems

Max Matveev, CoreOS

Jon Becker, CoreOS

Bill Stouder-Studenmund, CoreOS

Protecting system software on macOS

APFS volume replication

External files for iOS

# APFS Refresher

Default filesystem on iOS since 10.3 and macOS since High Sierra


# APFS Refresher

Default filesystem on iOS since 10.3 and macOS since High Sierra



# APFS Refresher

Default filesystem on iOS since 10.3 and macOS since High Sierra



# Protecting System Software

Max Matveev, CoreOS

# Protecting System Software on macOS

System Integrity Protection is designed to help prevent potentially malicious software from modifying files and folders on your Mac

Read-Only System Volume

# Container Layout

disk1

Macintosh HD

Preboot


Recovery

VM

# Container Layout

disk1

Macintosh HD



Preboot


Recovery

VM

# Delete Old System Content

disk1

Macintosh HD — Data



Preboot


Recovery

VM

# Delete Old System Content

disk1

Macintosh HD — Data



Preboot


Recovery

VM

# Divide et Impera

disk1

Macintosh HD — Data



Preboot


Recovery

VM

# Divide et Impera

disk1

Macintosh HD — Data



Macintosh HD

Preboot


Recovery

VM


# Divide et Impera

disk1

Macintosh HD — Data



Macintosh HD



Preboot

Recovery

VM

# Firmlinks

Bi-directional wormhole in path traversal



NEW

# Firmlinks

Bi-directional wormhole in path traversal



NEW

New filesystem object, similar to symlink

# Firmlinks

Bi-directional wormhole in path traversal



NEW

New filesystem object, similar to symlink

- Consistent forward and backward traversal of the file name space

# Firmlinks

Bi-directional wormhole in path traversal



NEW

New filesystem object, similar to symlink

- Consistent forward and backward traversal of the file name space
- Only for directories

# Firmlinks

Bi-directional wormhole in path traversal



NEW

New filesystem object, similar to symlink

- Consistent forward and backward traversal of the file name space
- Only for directories
- Created on the system volume at installation time

# Firmlinks

Bi-directional wormhole in path traversal



NEW


New filesystem object, similar to symlink

- Consistent forward and backward traversal of the file name space
- Only for directories
- Created on the system volume at installation time
- **Not** expected to be noticed by a user or an application


# Stitch It Up

disk1

Macintosh HD — Data



Macintosh HD



Preboot


Recovery

VM


# Stitch It Up

disk1

Macintosh HD — Data



Macintosh HD



Preboot


Recovery

VM


# Stitch It Up

disk1

Macintosh HD — Data



Macintosh HD



Preboot


Recovery

VM


# Stitch It Up

disk1

Macintosh HD — Data



Macintosh HD



Preboot


Recovery

VM


# Stitch It Up

disk1

Macintosh HD — Data



Macintosh HD



Preboot

Recovery

VM

# Take Home Message

# Take Home Message

The volumes are split during the update, no way to opt-out

# Take Home Message

The volumes are split during the update, no way to opt-out

- System volume is writable in the Developer Preview

# Take Home Message

The volumes are split during the update, no way to opt-out

- System volume is writable in the Developer Preview
- Create a file named `/.rootro` to force read-only behavior

# Take Home Message

The volumes are split during the update, no way to opt-out

- System volume is writable in the Developer Preview
- Create a file named `/.rootro` to force read-only behavior
- Will be made read-only in a future seed build

# Take Home Message

The volumes are split during the update, no way to opt-out

- System volume is writable in the Developer Preview
- Create a file named `/.rootro` to force read-only behavior
- Will be made read-only in a future seed build
- Read-only state of the system volume can be disabled but not persistently, will revert to read-only after a reboot

# Take Home Message

The volumes are split during the update, no way to opt-out


- System volume is writable in the Developer Preview
- Create a file named `/.rootro` to force read-only behavior
- Will be made read-only in a future seed build
- Read-only state of the system volume can be disabled but not persistently, will revert to read-only after a reboot

Test your applications

# ASR, Volume Replication, and Snapshots


Jon Becker, CoreOS

# What is Volume Replication?



# What is Volume Replication?


Copying volume content



# What is Volume Replication?

Copying volume content

Superior to file copies




# What is Volume Replication?

Copying volume content

Superior to file copies

All volume data, metadata




# What is Volume Replication?

Copying volume content

Superior to file copies

All volume data, metadata


Apple Software Restore (ASR)



# Who Wants This?


Enterprise / Education IT, setting up labs

Backup utilities



# Traditional Model (HFS Plus)

Partitions and volumes in one-to-one relationship



# APFS

Great features

# APFS

## Great features


- Volume management, space sharing



# APFS

## Great features

- Volume management, space sharing
- Encryption




# APFS

## Great features


- Volume management, space sharing
- Encryption

Block copies not possible with APFS volumes



# APFS Volume Replication with ASR


NEW



# APFS Volume Replication with ASR

NEW

Decryption / encryption part of generation / restore




# APFS Volume Replication with ASR

NEW


Decryption / encryption part of generation / restore

Volume is defragmented as stream is generated



# Restore Options


Restoring to an existing target volume (erasing prior content)



Target before restore

# Restore Options


Restoring to an existing target volume (erasing prior content)



```
# Restore, erasing a target volume
% sudo asr restore --source file.dmg --target /Volumes/Volume2 --erase
```

# Restore Options


Restoring to an existing target volume (erasing prior content)



```
# Restore, erasing a target volume  
% sudo asr restore --source file.dmg --target /Volumes/Volume2 --erase
```

# Restore Options


Restoring to a newly created target volume



Target before restore

# Restore Options


Restoring to a newly created target volume



```
# Creates a new volume during restore  
% sudo asr restore --source file.dmg --target /dev/disk1
```

# Restore Options

Restoring to a newly created target volume




```
# Creates a new volume during restore  
% sudo asr restore --source file.dmg --target /dev/disk1
```

# Snapshots

Point-in-time capture of volume state


# Snapshots

Point-in-time capture of volume state




# Snapshots

Point-in-time capture of volume state




# Snapshots

Point-in-time capture of volume state





# Snapshots


Point-in-time capture of volume state



# Restoring with Snapshots




# Restoring with Snapshots



```
# Restore a snapshot
```

```
% sudo asr restore --source file.dmg --target /Volumes/Target --toSnapshot Snap1
```



# Restoring with Snapshots





```
# Restore a snapshot
```

```
% sudo asr restore --source file.dmg --target /Volumes/Target --toSnapshot Snap1
```


# Restoring with Snapshots



# Restoring with Snapshots




# Restoring with Snapshots



```
# Restore a snapshot delta
% sudo asr restore --source file.dmg --target /Volumes/Target --fromSnapshot Snap1 \
  --toSnapshot Snap2
```

# Restoring with Snapshots



Only items in blue need to be copied

```
# Restore a snapshot delta
% sudo asr restore --source file.dmg --target /Volumes/Target --fromSnapshot Snap1 \
  --toSnapshot Snap2
```

# Replication Summary

# Replication Summary

New features in APFS require new models of replication

# Replication Summary

New features in APFS require new models of replication

APFS Volume replication best done with ASR

# Replication Summary

New features in APFS require new models of replication

APFS Volume replication best done with ASR

- Gives highest fidelity

# Replication Summary

New features in APFS require new models of replication

APFS Volume replication best done with ASR

- Gives highest fidelity
- Handles encryption

# Replication Summary

New features in APFS require new models of replication

APFS Volume replication best done with ASR

- Gives highest fidelity
- Handles encryption

ASR can restore snapshots, snapshot deltas

# External File Access for iOS

Bill Stouder-Studenmund, CoreOS

# Browse

## Locations

iCloud Drive

On My iPad

Recently Deleted

## Tags

Red

Orange

Yellow

Green

Blue

Purple

Gray

Work

Home

Important

Test Documents

Media


Select

Search



19\_i062990

May 28, 2019 at 2:23 PM  
4.2 MB



190116\_i041922

May 28, 2019 at 2:23 PM  
3.5 MB



190116\_i091151

May 28, 2019 at 2:23 PM  
2.9 MB



Fun With Charts

May 28, 2019 at 12:58 PM  
210 KB



i021770

May 28, 2019 at 2:23 PM  
4.1 MB



i022452

May 28, 2019 at 2:23 PM  
4.3 MB



i062141

May 28, 2019 at 2:23 PM  
3.7 MB



iE041586

May 28, 2019 at 2:23 PM  
1.8 MB



iE090764

May 28, 2019 at 2:23 PM  
2.2 MB



iE100473

May 28, 2019 at 2:23 PM  
1.7 MB




Loans- which is worth it?

May 28, 2019 at 4:37 PM  
151 KB



Oranges

May 28, 2019 at 2:23 PM  
2.7 MB







# USB Storage



# USB Storage

Unencrypted APFS



# USB Storage

Unencrypted APFS

Unencrypted HFS Plus



# USB Storage

Unencrypted APFS

Unencrypted HFS Plus

FAT, ExFAT



# Network Shares



# Network Shares

Supports SMB 3.0



# Network Shares

Supports SMB 3.0

Connect over WiFi, Cellular, and Ethernet



# Network Shares

Supports SMB 3.0

Connect over WiFi, Cellular, and Ethernet

Search using Windows Search Protocol



# Network Shares

Supports SMB 3.0

Connect over WiFi, Cellular, and Ethernet

Search using Windows Search Protocol

And we've added Windows Search to macOS Catalina's SMB server





***Demo***

# What This Means for You

# What This Means for You

Enabled by default for apps linked on or after iOS 13

# What This Means for You

Enabled by default for apps linked on or after iOS 13

Pay attention to volume capability attributes

# What This Means for You

Enabled by default for apps linked on or after iOS 13

Pay attention to volume capability attributes

```
NSURL.resourceValues(forKey:)
```

# What This Means for You

Enabled by default for apps linked on or after iOS 13

Pay attention to volume capability attributes

```
NSURL.resourceValues(forKeys:)
```

File movement now may take time

# What This Means for You

Enabled by default for apps linked on or after iOS 13

Pay attention to volume capability attributes

```
NSURL.resourceValues(forKey:)
```

File movement now may take time

Put your temp files near the working files

# What This Means for You

Enabled by default for apps linked on or after iOS 13

Pay attention to volume capability attributes

```
NSURL.resourceValues(forKeys:)
```

File movement now may take time

Put your temp files near the working files

```
fileManager.url(for: .itemReplacementDirectory,  
                in: .userDomainMask,  
                appropriateFor: yourFile,  
                create: true)
```

# What This Means for You

# What This Means for You

External devices can suddenly go away

# What This Means for You

External devices can suddenly go away

- mmap can be dangerous

# What This Means for You

External devices can suddenly go away

- mmap can be dangerous
- Use `NSData.ReadingOptions.mappedIfSafe`

# What This Means for You

External devices can suddenly go away

- mmap can be dangerous
- Use `NSData.ReadingOptions.mappedIfSafe`

External devices have higher latencies than the internal Flash Storage

# What This Means for You

External devices can suddenly go away

- mmap can be dangerous
- Use `NSData.ReadingOptions.mappedIfSafe`

External devices have higher latencies than the internal Flash Storage

- For best results, keep multiple large operations in-flight at once

# Summary

# Summary

We are making the root volume read-only for enhanced security

# Summary

We are making the root volume read-only for enhanced security

You can use ASR to perform volume replication, including snapshot deltas

# Summary

We are making the root volume read-only for enhanced security

You can use ASR to perform volume replication, including snapshot deltas

We now support accessing external files on USB Storage and Network Shares

# More Information

[developer.apple.com/wwdc19/710](https://developer.apple.com/wwdc19/710)

---

Filesystem Lab

Wednesday, 5:00

---

Introducing Combine and Advances in Foundation

Thursday, 10:00

---

What's New in File Management and Quick Look

WWDC App

---

 WWDC19